

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

FORM PTO-1449

ATTY. DOCKET NO.  
40128/00901

SERIAL NO.  
10/730,811

APPLICANT(S)  
Hemmerling et al.

FILING DATE  
December 8, 2003

GROUP  
3762



**U. S. PATENT DOCUMENTS**

EXAMINER INITIAL	PATENT NUMBER	PATENT DATE	NAME	CLASS	SUBCLASS	FILING DATE

**FOREIGN PATENT DOCUMENTS**

EXAMINER INITIAL	DOCUMENT NUMBER	DATE (M/D/Y)	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

**OTHER DOCUMENTS**

EXAMINER INITIAL	AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.	
DDG	Donati, "Neuromuscular blocking drugs for the new millennium: current practice, future trends—comparative pharmacology of neuromuscular blocking drugs," Anesth. Analg., May 2000; 90(5 Suppl); pp.S2-S6.	
	Ibebunjo et al., "Morphological correlates of the differential responses of muscles to vecuronium," Br. J. Anaesth., Aug 1999; 83(2); pp.284-291.	
	Engback, "Monitoring of neuromuscular transmission by electromyography during anaesthesia. A comparison with mechanomyography in cat and man," Dan. Med. Bull., Sep 1996; 43(4); pp.301-16. [abstract]	
	Hemmerling et al., "Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography," Br. J. Anaesth., Mar 2002; 88 (3); pp.389-393.	
	Plaud et al., "The corrugator supercilii, not the orbicularis oculi, reflects rocuronium neuromuscular blockade at the laryngeal adductor muscles," Anesthesiology, Jul 2001; 95(1); pp.96-101.	
	Rimaniol et al., "A comparison of the neuromuscular blocking effects of atracurium, mivacurium, and vecuronium on the adductor pollicis and the orbicularis oculi muscle in humans," Anesth. Analg., Oct 1996; 83(4); pp.808-13.	
	McCluskey et al., "A comparison of acceleromyography and mechanomyography for determination of the dose-response curve of rocuronium in children," Anaesthesia, Apr 1997; 52(4); pp.345-349.	
	Mortensen et al., "Perioperative monitoring of neuromuscular transmission using acceleromyography prevents residual neuromuscular block following pancuronium," Acta. Anaesthesiol. Scand., Aug 1995; 39(6); pp.797-801.	
	Frangioni et al., "The mechanism of low-frequency sound production in muscle," Biophys. J., May 1987; 51(5); pp.775-83.	
	Dascalu et al., "Acoustic monitoring of intraoperative neuromuscular block," Br. J. Anaesth., Sep 1999; 83(3); pp.405-409.	

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
<del>DDG</del>		Bellemare et al., "Temporal relation between acoustic and force responses at the adductor pollicis during nondepolarizing neuromuscular block," Anesthesiology, Sep 2000; 93(3); pp.646-652.
		Hemmerling et al., "Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography," Br. J. Anaesth., Mar 2002; 88 (3); pp. 389-93.
		Hemmerling et al., "Duration of control stimulation does not affect onset and offset of neuromuscular blockade at the corrugator supercilii muscle measured with phonomyography or acceleromyography," Can. J. Anaesth., 2002; 49(9); pp. 913-917.
		Hemmerling et al., "Intraoperative monitoring of the recurrent laryngeal nerve in 151 consecutive patients undergoing thyroid surgery," Anesth. Analg., Aug 2001; 93(2); pp.396-399.
		Kastl et al., "Electromyographic nerve identification during resection of an intrathoracic goiter via a right anterolateral thoracotomy using a novel method," Surgery, Jul 2001; 130(1); pp.93-96.
		Hemmerling et al., [Intraoperative electromyographic identification of recurrence as a routine procedure] Chirurg, May 2000; 71(5); pp. 545-550. [German document with English abstract]

EXAMINER	<i>Dana H. Greene</i>	DATE CONSIDERED <b>7-29-05</b>
EXAMINER: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		